



LED Pizza Light

BRIGHTEN YOUR LIFE

NEW LED TECHNOLOGY THAT ALLOWS THE
COEXISTENCE OF ENVIRONMENTAL
PROTECTION AND ENERGY SAVING

Benefits

- 1.MH/HPS/HID/MHL/CFL lamp retrofit
- 2.Screw Base Direct Install by bypass ballast
- 3.100% Pure Aluminum Fins Heat Sink
- 4.Universal Base E26/E27/E39/E40
- 5.ETL CETL DLC CE ROHS listed



60W-150W





370W-480W

BB-YPD-XXX-A


Features

1. Beam angle:120 degrees.
2. Aluminum fins heat sinks is good for heat dissipation.
3. It's major to replace the CFL/MH/HID/HPS.
4. Green, energy saving, long and reliable life of 50,000 hours.
5. No RF interference, No IR/UV radiation ,no mercury pollution.
6. Wide colour availability in degrees Kelvin(K),2700-6700K.
7. Streamline exterior design, beautiful appearance.
8. Environment friendly ,energy saving (70~80%).
9. Special circuit design, each LED work separately,
avoiding the single broken LED influence problem.



Application

1. Area Lighting/Street Lighting.
2. Garage Lighting/Ceiling Lighting.
3. Warehouse Lighting.
4. High/Low Bay Lighting.





SPECIFICATIONS

Power	60W	80W	100W	120W	150W	370W	480W
Model	BB-YPD-022-A	BB-YPD-023-A	BB-YPD-024-A	BB-YPD-025-A	BB-YPD-026-A	BB-YPD-370W	BB-YPD-480W
Luminous Flux	7800lm	10400lm	13000lm	15600lm	19500lm	48100lm	62400lm
Replacement	HPS 175W	HPS 250W	HPS 300W	HPS 400W	HPS 600W	HPS 1200W	HPS 1500W
Poles	L: Long Pole		S: Short Pole				
Voltage	LV:100-277VAC		HV:200-480VAC				
Frequency	50-60HZ						
Light Source	SMD LED						
Luminous Efficacy	>130lm/w						
Operation Temp.	-40 to +45℃						
CCT	2700K SW / 3000K WW / 4100K NW / 5000K DW / 5700K CW						
CRI	80+						
Life Span	50,000 hours at 25℃						
Driver	UL listed power supply						
Dimming	No						
Beam Angle	120°						
Lamp Base	E26/E27/E39/E40						
PF	>0.95						
Warranty	5Years						

DIMENSIONAL DRAWING

Dimensions with cover





120W/150W

* The height of the cover is 30mm(1.18in).

* Dimensions without cover is 30mm less than the height above, the others are the same.

LUMINOUS INTENSITY DISTRIBUTION



PROJECTS

By using our 120W Pizza Light to replace 400W Metal Halide bulb for warehouse high bay lighting fixtures, the customer is now able to save a lot per month from his electric bill.



Replace



120W LED = 400W MH




Note:

- Don't take the LED lamp apart.
- The LED lamp must work under the right voltage according to the specification.
- Must remove the Ballast, Capacitor, Ignitor before installing our LED Light.


INSTALLATION

Normally. The traditional lamp has the ballast or capacitor or ignitor, like HPS,MH.


Replace E40/E27 CFL



Replace HPS/MH



E27/E40 Pizza Light has two kinds of installation:



PACKING INFO



	Packaging	Carton Size(mm) (L*W*H)	N.W	G.W	Volume weight
60W-150W	I) 2pcs/CTN	530*380*390mm	6.8kg	7.8kg	16.0kg
	II) 3pcs/CTN	530*380*390mm	10.0kg	11.0kg	16.0kg
	III) 4pcs/CTN	530*380*390mm	13.2kg	14.2kg	16.0kg
370W-480W	IV) 1pcs/CTN	410*410*240mm	6.0kg	6.6kg	8.5kg

I ---Complete packing

II ---Packing with long stem off(120W-150W,without cover)&(all with cover)

III---Packing with long stem off(60W-100W,without cover)

IV---Packing with short stem off(370-480W)