

BB-HJD-XXXW-Q-D

- IP40 waterproof rating, providing protection for light fixtures in outdoor applications.
- © Each group can choose 5 or 10 lights. Suitable for different long-distance needs.
- The distance between lamp heads is about 3m, which is the same as traditional work lights.
- © Each lamp is equipped with metal hooks, making it easy to install.
- Equipped with a protective cage, it is safer and more durable.
- There is a waterproof connector between the wires of the lights, which facilitates increasing or decreasing the number of light strings.
- With a lifespan of over 30000 hours, a 3-year warranty is provided.


Product Picture




MODEL:BB-HJD-XXXW-Q-D

DATA SHEET			
Single Light Power	10W	15W	20W
Whole String Power	50W	75W	100W
Model	BB-HJD-10W/50W-Q-D	BB-HJD-15W/75W-Q-D	BB-HJD-20W/100W-Q-D
Luminous Flux	10W=1100LM;15W=1650LM;20W=2200LM.		
Luminous Efficacy	110LM/W		
LED Light Source	SMD LED		
Beam Angle	360°		
Operation Temp	-30 TO + 45 °C		
ССТ	2700KSW/3000KWW/4100KNW/5000KDW/5700KCW		
Materials	Glass + Plastic Coated Aluminum		
CRI	70+		
Life Span	30,000 Hours		
Voltage	100-277VAC/50-60HZ		
Numbers Of Light String	Customers Can Choose The Number Of Light Strings According To Their Needs		
PF	>0.9		
IP	40		
Warranty	3 Years		


▶ Dimension



Product Details



Surface Of Intensity Distribution



360°

Application

- 1. Factory Lighting.
- 2. Dock Lighting.
- 3. Warehouse Lighting.
- 4. Goods shelf Lighting.
- 5. Container Lighting.



Specifications are subject to change without notice.

Updated date: 2025-11-10