


LED String Lights Lights Alloy Cage

HIGH LIGHT · DURABLE · SAVE COST

BB-HJD-XXXW-Q-C

- ◎ IP40 waterproof rating, providing protection for light fixtures in outdoor applications.
- ◎ Each group can choose 5 or 10 lights. Suitable for different long-distance needs.
- ◎ The distance between lamp heads is about 3m, which is the same as traditional work lights.
- ◎ Each lamp is equipped with a hanging ring and a carabiner, so it is very convenient to install.
- ◎ Equipped with a protective cage, it is safer and more durable.
- ◎ There is a waterproof connector between the wires of the lights, which facilitates increasing or decreasing the number of light strings.
- ◎ With a lifespan of over 30000 hours, a 3-year warranty is provided.

► Product Picture




MODEL:BB-HJD-XXXW-Q-C

DATA SHEET

Single Light Power	10W	15W	20W
Whole String Power	50W	75W	100W
Model	BB-HJD-10W/50W-Q-C	BB-HJD-15W/75W-Q-C	BB-HJD-20W/100W-Q-C
Luminous Flux	10W=1100LM;15W=1650LM;20W=2200LM.		
Luminous Efficacy	110LM/W		
LED Light Source	SMD LED		
Beam Angle	360°		
Operation Temp	-30 TO +45 °C		
CCT	2700KSW/3000KWW/4100KNW/5000KDW/5700KCW		
Materials	Aluminum alloy+Glass		
CRI	70+		
Life Span	30,000 Hours		
Voltage	100-277VAC/50-60HZ		
Numbers Of Light String	Customers Can Choose The Number Of Light Strings According To Their Needs		
PF	>0.9		
IP	40		
Warranty	3 Years		

► Dimension



► Product Details

Carabiner (Easy To Install)


Hanging Ring

The Overall Length Of The
Line Is 15 Meters


SMD LED

Protective Net

Glass Cover



► Surface Of Intensity Distribution



360°

► Application

1. Factory Lighting.
2. Dock Lighting.
3. Warehouse Lighting.
4. Goods shelf Lighting.
5. Container Lighting.



Specifications are subject to change without notice.
Updated date: 2025-11-10