




LED Balloon Lighthouse Series





BB-HJD-XXXW-Q




BB-HJD-XXXW-Q1




BB-HJD-XXXW-Q2




Ground Coverage Of Lighting



Data for reference only, actual values may differ.



OMNI



REFLECTIVE



LED Balloon Light Tower Series

150W

200W-600W

800W-1500W

Features

The LED Balloon Light features vibrant, energy-efficient LED illumination with adjustable brightness and color-changing modes for versatile use. Its lightweight, inflatable design ensures effortless portability and rapid setup, while being water-resistant and durable for indoor/outdoor events. Long-lasting life supports extended use, and it's reusable, eco-friendly, and easy to deflate/store.

- ☒ Highlight LED chips

☒ Optional remote control

☒ Aluminum alloy housing

☒ Energy-efficient, low heat output

☒ Silent operation

☒ Excellent heat dissipation

☒ UL-listed power supply

☒ 360° illumination
- ☒ Enhanced light penetration

☒ Easy installation

☒ 30,000-hour lifespan

☒ Plug-and-play

☒ With a variety of installation options

☒ Lightweight, slimline design

☒ Easy clip-on bars

☒ Ip65 waterproof, suitable for use in moist environments

DATA SHEET(Lamps)

Power	150W
Model	BB-HJD-150W-Q1
Luminous Flux	15000lm
Replacement	HPS 400W
Light Source	SMD LED
Luminous Efficacy	100lm/w
Lamp Size	Ø330xH440mm
Installation	Lighthouse Installation
Operation Temp	-40 to +45°C
CCT	2700K SW / 3000K WW / 4100K NW / 5000K DW / 5700K CW / 6500K SCW
CRI	70+
Life Span	30,000 Hours At 25°C
Voltage	100-277VAC/50-60Hz
Driver	Internal Power Supply
Dimming	Optional
Beam Angle	360°
Cover	Soft cloth(default)
PF	>0.9
Warranty	3Years

Accessories


Dimension





Lighthouse




Lighthouse With Foot Support



Lighthouse



Lighthouse With Foot Support





Features

The LED Balloon Light features vibrant, energy-efficient LED illumination with adjustable brightness and color-changing modes for versatile use. Its lightweight, inflatable design ensures effortless portability and rapid setup, while being water-resistant and durable for indoor/outdoor events. Long-lasting life supports extended use, and it's reusable, eco-friendly, and easy to deflate/store.





- ✓ Highlight LED chips
- ✓ Optional remote control
- ✓ Aluminum alloy housing
- ✓ Energy-efficient, low heat output
- ✓ Silent operation
- ✓ Excellent heat dissipation
- ✓ UL-listed power supply
- ✓ 360° illumination
- ✓ Enhanced light penetration
- ✓ Easy installation
- ✓ 30,000-hour lifespan
- ✓ Plug-and-play
- ✓ With a variety of installation options
- ✓ Lightweight, slimline design
- ✓ Easy clip-on bars
- ✓ Ip65 waterproof, suitable for use in moist environments

DATA SHEET(Lamps)

Power	200W	300W	400W	600W
Model	BB-HJD-200W-Q	BB-HJD-300W-Q	BB-HJD-400W-Q	BB-HJD-600W-Q
Luminous Flux	22000lm	33000lm	44000lm	66000lm
Lamp Size(mm)	Ø500xH390			
Beam Angle	360°			
Materials	Aluminum Alloy+Soft Cloth			
Luminous Efficacy	110lm/w			
Operation Temp	-40 to +45°C			
CCT	2700K SW / 3000K WW / 4100K NW / 5000K DW / 5700K CW / 6500K SCW			
CRI	70+			
Life Span	30,000 Hours At 25°C			
Voltage	120-277VAC			
Driver	Built-in Power Supply			
Dimming	Optional			
Cover	Soft Cloth			
Luminous Source	SMD LED			
IP Rating	IP 65			
PF	>0.9			
Installation	Lighthouse Installation			
Warranty	3 Years			

Accessories

Dimension



Lighthouse

Lighthouse With Foot Support

Lighthouse

Lighthouse With Foot Support

Features

The LED Balloon Light features vibrant, energy-efficient LED illumination with adjustable brightness and color-changing modes for versatile use. Its lightweight, inflatable design ensures effortless portability and rapid setup, while being water-resistant and durable for indoor/outdoor events. Long-lasting life supports extended use, and it's reusable, eco-friendly, and easy to deflate/store.

- ✓ Highlight LED chips
- ✓ Optional remote control
- ✓ Aluminum alloy housing
- ✓ Energy-efficient, low heat output
- ✓ Silent operation
- ✓ Excellent heat dissipation
- ✓ UL-listed power supply
- ✓ 360° illumination
- ✓ Enhanced light penetration
- ✓ Easy installation
- ✓ 30,000-hour lifespan
- ✓ Plug-and-play
- ✓ With a variety of installation options
- ✓ Lightweight, slimline design
- ✓ Easy clip-on bars
- ✓ Ip65 waterproof, suitable for use in moist environments

DATA SHEET(Lamps)			
Power	800W	1000W	1500W
Model	BB-HJD-800W-Q2	BB-HJD-1000W-Q2	BB-HJD-1500W-Q2
Luminous Flux	88000lm	110000lm	165000lm
Lamp Size(mm)	Ø800xH740		
Beam Angle	360°		
Materials	Aluminum Alloy+Soft Cloth		
Luminous Efficacy	110lm/w		
Operation Temp	-40 to +45°C		
CCT	2700K SW / 3000K WW / 4100K NW / 5000K DW / 5700K CW / 6500K SCW		
CRI	70+		
Life Span	30,000 Hours At 25°C		
Voltage	120-277VAC		
Driver	Built-in Power Supply		
Dimming	Optional		
Cover	Soft Cloth		
Luminous Source	SMD LED		
IP Rating	IP 65		
PF	>0.9		
Installation	Lighthouse Installation		
Warranty	3 Years		

Accessories


Dimension




Lighthouse





Lighthouse With Foot Support



Lighthouse



Lighthouse With Foot Support



Optional

LED Balloon Light
Tower Series


Generator



Brake Pedal



Telescopic
Pole Crank



Telescopic
Pole



Excellent
Quality

► Hand Cranked Lifting Mast (Single Wire)

- 1. Self-supporting hand lifting mast is a manual lifting mast with heavy load and reliable performance. This product consists of wire rope pulley block and hard aluminum alloy square pipe nested with each other. The lifting process is stable and reliable, and it has the function of self-locking at any position.
- 2. Its working principle is that each section of square pipe is pulled up and down at the same time by the structure of wire rope and pulley block (linkage type), and it can also be lifted by changing manual winch into electric push rod.
- 3. Lifting height, closing height, number of joints, upper, middle and lower flanges and threading can be customized according to requirements.

Specifications	Lifting Height	Closed Height	Pitch Number	Weight
SY-4-3	3m	1.3m	4 Sections	16 kg
SY-4-4	4m	1.4m	4 Sections	22 kg
SY-4-5	5m	1.6m	4 Sections	25 kg
SY-4-6	6m	1.8m	4 Sections	27 kg
SY-4-7	7m	2.2m	4 Sections	31 kg
SY-4-8	8m	2.7m	4 Sections	34 kg
SY-4-9	9m	2.9m	4 Sections	38 kg



► Hand Cranked Lifting Mast (Double Wire)

Specifications	Lifting Height	Closed Height	Pitch Number	Weight
SY-4-4	4m	1.4m	4 Sections	40 kg
SY-4-5	5m	1.6m	4 Sections	45 kg
SY-4-6	6m	1.8m	4 Sections	50 kg
SY-4-7	7m	2.2m	5 Sections	65 kg
SY-4-8	8m	2.7m	5 Sections	80 kg
SY-4-9	9m	2.9m	5 Sections	98 kg



► Electric Shaking Lifting Mast

- 1. Self-supporting hand lifting mast is a manual lifting mast with heavy load and reliable performance. This product consists of wire rope pulley block and hard aluminum alloy square pipe nested with each other. The lifting process is stable and reliable, and it has the function of self-locking at any position.
- 2. Its working principle is that each square pipe is pulled up and down at the same time by the structure of wire rope and pulley block (linkage type), and the lifting is realized by electric push rod.
- 3. Lifting height, closing height, number of joints, upper, middle and lower flanges and threading can be customized according to requirements.

Specifications	Lifting Height	Closed Height	Pitch Number	Weight
DT-4-3	3m	1.3m	5 Sections	30 kg
DT-4-4	4m	1.4m	5 Sections	38 kg
DT-4-5	5m	1.6m	5 Sections	40 kg
DT-4-6	6m	1.8m	5 Sections	42 kg
DT-4-7	7m	2.2m	5 Sections	46 kg
DT-4-8	8m	2.7m	5 Sections	50 kg
DT-4-9	9m	2.9m	5 Sections	55 kg



► Gasoline / Diesel Generator



Model : Gasoline 110V 220V 3KW 3.5KW Electric Start

Fuel Capacity : 15L

Fuel Consumption : 0.7-1L

Machine Size : 590 * 430 * 440 mm

Net Weight (kg) : 45

Gross Weight (kg) : 52

Carton Packaging Size : 660 * 450 * 460mm



Model : Diesel 110V 220V 3KW 3.5KW Electric Start

Fuel Capacity : 12.5L

Fuel Consumption : 0.7-1L

Machine Size : 680 * 460 * 550 mm

Net Weight (kg) : 73

Gross Weight (kg) : 80

Carton Packaging Size : 690 * 480 * 570mm



LED Balloon Light Tower

Applicable To Various Situations



Specifications are subject to change without notice.
Updated date: 2026-07-24