



LED Balloon Light Tripod+RGB




BB-HJD-XXXW-Q

BB-HJD-XXXW-Q1

BB-HJD-XXXW-Q2


Ground Coverage Of Lighting



Data for reference only, actual values may differ.



OMNI



REFLECTIVE



LED Balloon Light Tripod+RGB

150W

200W-600W

800W-1500W



Features

The LED Balloon Light features vibrant, energy-efficient LED illumination with adjustable brightness and color-changing modes for versatile use. Its lightweight, inflatable design ensures effortless portability and rapid setup, while being water-resistant and durable for indoor/outdoor events. Long-lasting life supports extended use, and it's reusable, eco-friendly, and easy to deflate/store.

- ✓ Highlight LED chips

✓ Optional remote control

✓ Aluminum alloy housing

✓ Energy-efficient, low heat output

✓ Silent operation

✓ Excellent heat dissipation

✓ UL-listed power supply

✓ 360° illumination
- ✓ Enhanced light penetration

✓ Easy installation

✓ 30,000-hour lifespan

✓ Plug-and-play

✓ With a variety of installation options

✓ Lightweight, slimline design


✓ Easy clip-on bars

✓ Ip65 waterproof, suitable for use in moist environments


Accessories




Tripod



1.6m



2m



3m

DATA SHEET(Lamps)	
Power	150W
Model	BB-HJD-150W-Q1-RGB
Light Source	RGB
Lamp Size	Ø330xH440mm
Installation	Tripod Mounting
Operation Temp	-40 to +45°C
Life Span	30,000 Hours At 25°C
Voltage	100-277VAC/50-60Hz
Driver	Internal Power Supply
Dimming	APP
Beam Angle	360°
Cover	Soft cloth(default)
PF	>0.9
Warranty	3Years

Dimension

Features

The LED Balloon Light features vibrant, energy-efficient LED illumination with adjustable brightness and color-changing modes for versatile use. Its lightweight, inflatable design ensures effortless portability and rapid setup, while being water-resistant and durable for indoor/outdoor events. Long-lasting life supports extended use, and it's reusable, eco-friendly, and easy to deflate/store.

- ✓ Highlight LED chips
- ✓ Optional remote control
- ✓ Aluminum alloy housing
- ✓ Energy-efficient, low heat output
- ✓ Silent operation
- ✓ Excellent heat dissipation
- ✓ UL-listed power supply
- ✓ 360° illumination
- ✓ Enhanced light penetration
- ✓ Easy installation
- ✓ 30,000-hour lifespan
- ✓ Plug-and-play
- ✓ With a variety of installation options
- ✓ Lightweight, slimline design
- ✓ Easy clip-on bars
- ✓ Ip65 waterproof, suitable for use in moist environments

Accessories




2m



3m/4.3m

DATA SHEET(Lamps)				
Power	200W	300W	400W	600W
Model	BB-HJD-200W-Q-RGB	BB-HJD-300W-Q-RGB	BB-HJD-400W-Q-RGB	BB-HJD-600W-Q-RGB
Lamp Size(mm)	Ø500xH390			
Beam Angle	360°			
Materials	Aluminum Alloy+Soft Cloth			
Operation Temp	-40 to +45°C			
Life Span	30,000 Hours At 25°C			
Voltage	120-277VAC			
Driver	Built-in Power Supply			
Dimming	APP			
Cover	Soft Cloth			
Luminous Source	RGB			
IP Rating	IP 65			
PF	>0.9			
Installation	Tripod Mounting			
Warranty	3 Years			

Dimension



2m

3m

4.3m

Features

The LED Balloon Light features vibrant, energy-efficient LED illumination with adjustable brightness and color-changing modes for versatile use. Its lightweight, inflatable design ensures effortless portability and rapid setup, while being water-resistant and durable for indoor/outdoor events. Long-lasting life supports extended use, and it's reusable, eco-friendly, and easy to deflate/store.

- ✓ Highlight LED chips
- ✓ Optional remote control
- ✓ Aluminum alloy housing
- ✓ Energy-efficient, low heat output
- ✓ Silent operation
- ✓ Excellent heat dissipation
- ✓ UL-listed power supply
- ✓ 360° illumination
- ✓ Enhanced light penetration
- ✓ Easy installation
- ✓ 30,000-hour lifespan
- ✓ Plug-and-play
- ✓ With a variety of installation options
- ✓ Lightweight, slimline design
- ✓ Easy clip-on bars
- ✓ Ip65 waterproof, suitable for use in moist environments

Accessories




2m



3m/4.3m

DATA SHEET(Lamps)			
Power	800W	1000W	1500W
Model	BB-HJD-800W-Q2-RGB	BB-HJD-1000W-Q2-RGB	BB-HJD-1500W-Q2-RGB
Lamp Size(mm)	Ø800xH740		
Beam Angle	360°		
Materials	Aluminum Alloy+Soft Cloth		
Operation Temp	-40 to +45°C		
Life Span	30,000 Hours At 25°C		
Voltage	120-277VAC		
Driver	Built-in Power Supply		
Dimming	APP		
Cover	Soft Cloth		
Luminous Source	RGB		
IP Rating	IP 65		
PF	>0.9		
Installation	Tripod Mounting		
Warranty	3 Years		

Dimension



LED Balloon Light Tripod+RGB

