



LED Waterproof Work Light

HIGH LIGHT · DURABLE · SAVE COST

BB-HJD-XXXW-Q7

This LED waterproof work light features IP65 waterproof rating, IK10 surge protection, and stainless steel protective mesh to ensure durability and safety. It provides 18000 lumens of brightness, saves up to 80% energy, and comes with a 5-foot power cord to cover large areas. Light bulbs with a wide range of brightness, high brightness, and long lifespan, with an average service life of over 50000 hours. Ensure long-term reliability. Die cast aluminum lamp body. The air convection design improves the heat dissipation performance of the lamp and ensures its service life. Installation: tripod installation

► Product Picture




MODEL:BB-HJD-XXXW-Q7


DATA SHEET

Power	60W	80W	100W	120W	150W
Model	BB-HJD-60W-Q7	BB-HJD-80W-Q7	BB-HJD-100W-Q7	BB-HJD-120W-Q7	BB-HJD-150W-Q7
Replacement	HPS 200W	HPS 250W	HPS 300W	HPS 350W	HPS 400W
Luminous Flux	6600LM	8800LM	11000LM	13200LM	16500LM
Luminous Efficacy	110LM/W				
LED Light Source	SMD LED				
Beam Angle	360°				
Operation Temp	-30 TO +45 °C				
CCT	2700KSW/3000KWW/4100KNW/5000KDW/5700KCW				
CRI	80+				
Life Span	50,000 Hours				
Voltage	100-277VAC/50-60HZ 200-480VAC/50-60Hz Available				
Driver	Internal Power Supply.Emergency Power Supply Is Optional				
Dimming	No				
Sensor	No				
Remote Control	No				
Lamp Base	Tripod Installation				
PF	>0.9				
IP	IP 65				
Warranty	5 Years				
Tripod	Yellow Tripod-2m:Black Can Be Selected For The 2-Meter Die Cast Version; Yellow Tripod-3m:Black Can Choose Sheet Metal 3-Meter Version				


► Dimension



1.6M




2M




3M

60W/80W


► Dimension



1.6M




2M




3M

100W/120W


► Dimension



1.6M




2M



3M


150W

► Product Details




► Tripod Stand

Tripod stand is optional.
Customers can choose according to their needs. If necessary, please contact sales.




► Surface Of Intensity Distribution



► Plug


Plug can be optional as required ,Please contact sales.



► Optics

Tech.Support:

Tell us the place/L,W and usage,we have an engineer team to respond the DIALUX for lights quantity and effects, IES files are available upon request.



► Application Case

Temporary lighting, engineering decoration, outdoor temporary lighting and so on



Specifications are subject to change without notice.
Updated date: 2026-07-24